acid (I; R = OH) are reported. The best results were found for the 3-furyl and 2-methoxy thiazol-5-yl analogs.

- L35 ANSWER 12 OF 12 HCAPLUS COPYRIGHT 2000 ACS
- AN 1996:19712 HCAPLUS
- DN 124:164360
- TI Antibacterial activity of a synthetic peptide (PR-26) derived from PR-39, a proline-arginine-rich neutrophil antimicrobial peptide
- AU Shi, Jishu; Ross, Christopher R.; Chengappa, M. M.; Sylte, Matt J.; McVey, D. Scott; Blecha, Frank
- CS Dep. Anat. Physiol., Kansas State Univ., Manhattan, KS, 66506, USA
- SO Antimicrob. Agents Chemother. (1996), 40(1), 115-21 CODEN: AMACCQ; ISSN: 0066-4804
- DT Journal
- LA English
- PR-39 is a proline-arginine-rich (PR) neutrophil AB antibacterial peptide originally identified and purified from the porcine small intestine. We report on the synthesis of a functional antibacterial \longleftarrow domain of PR-39, the first 26 amino acid residues of the NH2 terminus. PR-26 was as potent as or more potent than PR -39 against enteric gram-neg. bacteria. This truncated form of PR-39 potentiated neutrophil phagocytosis of Salmonella choleraesuis and decreased the level of S. typhimurium invasion into intestinal epithelial cells. SEM confirmed that these peptides did not lyse cells by pore-forming mechanisms; however, they potentiated the antibacterial capabilities of a pore-forming peptide, magainin A. addn., PR-26 was not toxic to epithelial cells at concns. several times greater than its bactericidal concn. These data suggest that PR -39 and its functional domain, PR-26, may potentiate the host's defense capabilities against gram-neg. infections.

=> fil biosis

FILE 'BIOSIS' ENTERED AT 11:55:41 ON 12 DEC 2000 COPYRIGHT (C) 2000 BIOSIS(R)

FILE COVERS 1969 TO DATE. CAS REGISTRY NUMBERS AND CHEMICAL NAMES (CNs) PRESENT FROM JANUARY 1969 TO DATE.

RECORDS LAST ADDED: 6 December 2000 (20001206/ED)

The BIOSIS file has been reloaded. Enter HELP RLOAD and HELP REINDEXING for details.

=> d all tot

- L49 ANSWER 1 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
- AN 2000:440602 BIOSIS
- DN PREV200000440602
- TI PR-39, endogenous antimicrobial peptide derived from porcine neutrophils is capable binding PI3Kp85 and inhibits cell proliferation and modifies actin bundle structure in K-ras transformed cells.
- AU Kohgo, Yutaka (1); Fujimoto, Yoshinori (1); Tanaka, Koji (1); Suzuki, Masako (1); Suzuki, Yasuaki (1); Saito, Hiroyuki (1); Ohtake, Takaaki (1)
- CS (1) Third Department of Internal Medicine, Asahikawa Medical College, Asahikawa, Hokkaido Japan
- SO Acta Haematologica (Basel), (July, 2000) Vol. 103, No. Supplement 1, pp. 30. print.

Meeting Info.: 13th Symposium on Molecular Biology of Hematopoiesis and Treatment of Leukemia and Cancer New York, NY, USA July 14-18, 2000

```
ISSN: 0001-5792.
DΤ
    Conference
LΑ
    English
\mathtt{SL}
    English
     Immunology and Immunochemistry - General; Methods *34502
CC
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals *00520
     Cytology and Cytochemistry - General *02502
     Cytology and Cytochemistry - Animal *02506
     Blood, Blood-Forming Organs and Body Fluids - Blood and Lymph Studies
     Blood, Blood-Forming Organs and Body Fluids - Blood Cell Studies *15004
    Microorganisms - Unspecified 01000
BC
IT
    Major Concepts
        Cell Biology; Immune System (Chemical Coordination and Homeostasis);
        Blood and Lymphatics (Transport and Circulation)
     Parts, Structures, & Systems of Organisms
ΙT
        neutrophil: blood and lymphatics, immune system
IT
     Chemicals & Biochemicals
        PR-39: endogenous antimicrobial peptide
ΙT
    Miscellaneous Descriptors
        innate immunity; Meeting Abstract
ORGN Super Taxa
        Microorganisms; Suidae: Artiodactyla, Mammalia, Vertebrata, Chordata,
        Animalia
ORGN Organism Name
        microbe (Microorganisms); porcine (Suidae)
ORGN Organism Superterms
        Animals; Artiodactyls; Chordates; Mammals; Microorganisms; Nonhuman
        Mammals; Nonhuman Vertebrates; Vertebrates
     52622-12-5Q (PR-39)
RN
     139637-11-9Q (PR-39)
    ANSWER 2 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
     2000:300808 BIOSIS
ΑN
DN
     PREV200000300808
     Inhibition of NAD(P)H oxidase by diphenylene iodonium and PR-
ΤI
     39 did not prevent glomus cell calcium and chemoreceptor responses
     in rat carotid body.
    Roy, A. (1); Mokashi, A. (1); Rozanov, C. (1); Daudu, P. (1); Ross, C.;
ΑU
     Lahiri, S. (1)
     (1) Department of Physiology, University of Pennsylvania School of
CS
    Medicine, Philadelphia, PA, 19104-6085 USA
    FASEB Journal, (March 15, 2000) Vol. 14, No. 4, pp. A393. print.
SO
    Meeting Info.: Annual Meeting of Professional Research Scientists:
    Experimental Biology 2000 San Diego, California, USA April 15-18,
     2000 Federation of American Societies for Experimental Biology
     . ISSN: 0892-6638.
DT
     Conference
LА
     English
SL
    English
CC
    Nervous System - General; Methods *20501
     Cytology and Cytochemistry - Animal *02506
     Biophysics - General Biophysical Studies *10502
     Enzymes - General and Comparative Studies; Coenzymes *10802
     Cardiovascular System - General; Methods *14501
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals *00520
ΙT
    Major Concepts
        Biochemistry and Molecular Biophysics; Nervous System (Neural
        Coordination)
     Parts, Structures, & Systems of Organisms
IT
        carotid body: circulatory system, nervous system; carotid sinus nerve:
        nervous system; glomus cell: nervous system
ΙT
     Chemicals & Biochemicals
        NADPH oxidase; PR-39; chemoreceptor; diphenylene
```

```
iodonium; reactive oxygen species: production
     Miscellaneous Descriptors
IT
        Meeting Abstract
ORGN Super Taxa
        Muridae: Rodentia, Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        rat (Muridae)
ORGN Organism Superterms
        Animals; Chordates; Mammals; Nonhuman Mammals; Nonhuman Vertebrates;
        Rodents; Vertebrates
     9032-22-8Q (NADPH OXIDASE)
RN
     37256-37-4Q (NADPH OXIDASE)
     77106-92-4Q (NADPH OXIDASE)
     52622-12-5Q (PR-39)
     139637-11-9Q (PR-39)
     244-54-2 (DIPHENYLENE IODONIUM)
    ANSWER 3 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
L49
     2000:22,3066 BIOSIS
AN
DN
     PREV200000223066
     Sequence determinants and SH3-binding motif in PR-39
ΤI
     cathelicidin controls antibacterial activity and binding to mammalian
     targets.
     Chan, Y. R. (1); Zanetti, M.; Genarro, R.; Gallo, R. L.
ΑIJ
     (1) Harvard Medical School, Boston, MA USA
CS
     Journal of Investigative Dermatology, (April, 2000) Vol. 114, No. 4, pp.
SO
     757.
     Meeting Info.: 61st Annual Meeting of the Society for Investigative
     Dermatology. Chicago, Illinois, USA May 10-14, 2000
     ISSN: 0022-202X.
DT
     Conference
     English
LΑ
SL
     English
     Chemotherapy - General; Methods; Metabolism *38502
CC
     Genetics and Cytogenetics - Animal *03506
     Biochemical Studies - General *10060
     Biophysics - General Biophysical Studies *10502
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals *00520
     Mammalia - Unspecified
                             85700
BC
IT
     Major Concepts
        Biochemistry and Molecular Biophysics; Pharmacology
     Chemicals & Biochemicals
TΤ
        PR-39: SH-3 binding motif, antibacterial; SH-3
        peptide: binding; mRNA [messenger RNA]: induction; syndecan-4
IT
     Miscellaneous Descriptors
        wound repair; Meeting Abstract
ORGN Super Taxa
        Mammalia: Vertebrata, Chordata, Animalia; Muridae: Rodentia, Mammalia,
        Vertebrata, Chordata, Animalia
ORGN Organism Name
        NIH-3T3 cell line (Muridae): fibroblast; mammal (Mammalia)
ORGN Organism Superterms
        Animals; Chordates; Mammals; Nonhuman Mammals; Nonhuman Vertebrates;
        Rodents; Vertebrates
RN
     52622-12-5Q (PR-39)
     139637-11-9Q (PR-39)
L49 ANSWER 4 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
     2000:24866 BIOSIS
AN
     PREV200000024866
DN
     Proteasome-dependent regulation of angiogenesis: A novel therapeutic
ΤI
     approach.
ΑU
     Li, Jian (1); Post, Mark (1); Gao, Youhe (1); Li, Min (1);
     Metais, Caroline (1); Aird, William (1); Sellke, Frank W. (1); Hampton,
     Thomas G. (1); Carmeliet, Peter P.; Simons, Michael
```

```
(1) Beth Israel Deaconess Med Ctr, Harvard Med Sch, Boston, MA USA
CS
     Circulation, (Nov. 2, 1999) Vol. 110, No. 18 SUPPL., pp.
so
     I.475-I.476.
     Meeting Info.: 72nd Scientific Sessions of the American Heart
     Association Atlanta, Georgia, USA November 7-10, 1999
     ISSN: 0009-7322.
DT
     Conference
LΑ
     English
     Cardiovascular System - General; Methods *14501
CC
     Biochemical Studies - General
                                    *10060
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals *00520
     Endocrine System - General *17002
IΤ
     Major Concepts
        Biochemistry and Molecular Biophysics; Cardiovascular System (Transport
        and Circulation)
IT
     Parts, Structures, & Systems of Organisms
        heart: circulatory system
IT
     Chemicals & Biochemicals
        FGF-R1 [fibroblast growth factor-R1]: expression; Flt-1: expression;
        HIF-1-alpha: expression; PR39 protein: overexpression,
        therapeutic potential; VEGF [vascular endothelial growth factor]:
        expression
TT
     Miscellaneous Descriptors
        angiogenesis: PR39-induced, molecular basis,
        proteasome-dependent regulation; Meeting Abstract
ORGN Super Taxa
        Muridae: Rodentia, Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        mouse (Muridae)
ORGN Organism Superterms
        Animals; Chordates; Mammals; Nonhuman Mammals; Nonhuman Vertebrates;
        Rodents; Vertebrates
RN
     127464-60-2 (VASCULAR ENDOTHELIAL GROWTH FACTOR)
L49 ANSWER 5 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
     1999:524759 BIOSIS
AN
     PREV199900524759
DN
TΙ
     Cardiac-specific overexpression of PR-39 induces
     angiogenesis, myocardial hypertrophy, and increased microvascular
     reactivity.
     Li, Jian; Hampton, Thomas G.; Metais, Caroline; Ma, Lijie; Li, Jianyi;
ΑU
     Amende, Ivo; Sellke, Frank W.; Douglas, Pamela S.; Morgan, James P.;
     Simons, Michael
     BIBMC/Harvard Med. Sch., Boston, MA USA
CS
     Circulation, (Oct. 27, 1998) Vol. 98, No. 17 SUPPL., pp. 1794.
SO
     Meeting Info.: 71st Scientific Sessions of the American Heart
     Association Dallas, Texas, USA November 8-11, 1998 The American Heart
     Association
     . ISSN: 0009-7322.
DT
     Conference
     English
LA
     Cardiovascular System - Blood Vessel Pathology *14508
CC
     Cardiovascular System - Physiology and Biochemistry *14504
     Cardiovascular System - Heart Pathology *14506
     Endocrine System - Neuroendocrinology *17020
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals *00520
     Biochemical Studies - Proteins, Peptides and Amino Acids *10064
BC
     Muridae
               86375
ΙT
     Major Concepts
        Cardiovascular System (Transport and Circulation)
TT
     Diseases
        myocardial hypertrophy: heart disease; myocardial infarction: heart
        disease, vascular disease
```

TΨ

Chemicals & Biochemicals

```
serotonin; PR-39
ΙT
    Alternate Indexing
        Heart Hypertrophy (MeSH); Myocardial Infarction (MeSH)
    Miscellaneous Descriptors
TT
        angiogenesis; Meeting Abstract
ORGN Super Taxa
        Muridae: Rodentia, Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        mouse (Muridae)
ORGN Organism Superterms
        Animals; Chordates; Mammals; Nonhuman Mammals; Nonhuman Vertebrates;
        Rodents; Vertebrates
RN
     52622-12-5Q (PR-39)
     139637-11-9Q (PR-39)
     50-67-9 (SEROTONIN)
L49
    ANSWER 6 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
     1999:227498 BIOSIS
AN
     PREV199900227498
DN
    Epithelial innate defense by excreted PR-rich peptides involves
ΤI
     intracellular "short circuiting.
ΑIJ
     Chan, Y. R. (1); Gallo, R. L. (1)
     (1) Department of Dermatology, Boston Children's Hospital and Harvard
CS
    Medical School, Boston, MA USA
SO
     Journal of Investigative Dermatology, (April, 1999) Vol. 112, No. 4, pp.
    Meeting Info.: 60th Annual Meeting of the Society for Investigative
    Dermatology Chicago, Illinois, USA May 5-9, 1999
     ISSN: 0022-202X.
DT
     Conference
LΑ
     English
     Cytology and Cytochemistry - Animal *02506
CC
     Integumentary System - General; Methods *18501
     Immunology and Immunochemistry - General; Methods *34502
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals *00520
               86375
BC
    Muridae
IT
    Major Concepts
        Cell Biology; Immune System (Chemical Coordination and Homeostasis);
        Integumentary System (Chemical Coordination and Homeostasis)
IT
     Chemicals & Biochemicals
        PR-39: antimicrobial peptide, proline-arginine rish
        peptide, sort-circuiting effects, excretion
TΤ
    Miscellaneous Descriptors
        cutaneous immunity; epithelial innate defense; intracellular signaling
        pathways; Meeting Abstract
ORGN Super Taxa
        Muridae: Rodentia, Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        NIH 3T3 cell line (Muridae)
ORGN Organism Superterms
        Animals; Chordates; Mammals; Nonhuman Mammals; Nonhuman Vertebrates;
        Rodents; Vertebrates
RN
     52622-12-5Q (PR-39)
     139637-11-9Q (PR-39)
    ANSWER 7 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
L49
     1999:18195 BIOSIS
ΑN
DN
     PREV199900018195
ΤI
     PR39 interacts with proteasome and modulates HIF-lalpha level in
     ECV cells.
     Gao, Youhe; Volk, Ruediger; Li, Jian; Simons, Michael
ΑU
     Angiogenesis Res. Cent., Beth Israel Deaconess Med. Cent., Harv. Med.
CS
     Sch., Boston, MA USA
     Molecular Biology of the Cell, (Nov., 1998) Vol. 9, No. SUPPL.,
```

pp. 123A.

DT

LΑ

CC

BC

IT

IT

IT

RN

ΑN DN

TI

ΑU

CS

SO

DT

LΑ

CC

BC

IT

IT

```
Meeting Info.: 38th Annual Meeting of the American Society for Cell
     Biology San Francisco, California, USA December 12-16, 1998 American
     Society for Cell Biology
     . ISSN: 1059-1524.
     Conference
    English
     Cytology and Cytochemistry - General *02502
     Biochemical Studies - General *10060
     Metabolism - General Metabolism; Metabolic Pathways *13002
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals *00520
                 86215
     Hominidae
               86375
    Muridae
    Major Concepts
        Biochemistry and Molecular Biophysics; Cell Biology
     Chemicals & Biochemicals
        cDNA; hypoxia inducible factor-1 alpha; PR39: activity,
        antibacterial peptide
     Miscellaneous Descriptors
        proteasome; Meeting Abstract
ORGN Super Taxa
        Hominidae: Primates, Mammalia, Vertebrata, Chordata, Animalia; Muridae:
        Rodentia, Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        ECV (Hominidae): human endothelial cells; 3T3 (Muridae): mouse cells
ORGN Organism Superterms
        Animals; Chordates; Humans; Mammals; Nonhuman Mammals; Nonhuman
        Vertebrates; Primates; Rodents; Vertebrates
     52622-12-5Q (PR39)
     139637-11-9Q (PR39)
    ANSWER 8 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
     1998:525904 BIOSIS
     PREV199800525904
     Suppression of invasive activity and alteration of actin structure caused
     by transfection with PR-39 gene into human hepatoma
     cells.
     Fujimoto, Y.; Ohtake, T.; Tanaka, K.; Suzuki, Y.; Ikuta, K.; Saito, H.;
     Ohhira, M.; Ono, M.; Kohgo, Y.
     Third Dep. Intern. Med., Asahikawa Med. Coll., Asahikawa Japan
     Hepatology, (Oct., 1998) Vol. 28, No. 4 PART 2, pp. 399A.
     Meeting Info.: Biennial Scientific Meeting of the International
     Association for the Study of the Liver and the 49th Annual Meeting and
     Postgraduate Courses of the American Association for the Study of Liver
     Diseases Chicago, Illinois, USA November 4-10, 1998 International
     Association for the Study of the Liver
     . ISSN: 0270-9139.
     Conference
     English
     Neoplasms and Neoplastic Agents - Therapeutic Agents; Therapy *24008
     Cytology and Cytochemistry - Human *02508
     Genetics and Cytogenetics - Human *03508
     Metabolism - Proteins, Peptides and Amino Acids *13012
     Digestive System - Pathology *14006
     Neoplasms and Neoplastic Agents - Neoplastic Cell Lines
     Neoplasms and Neoplastic Agents - Biochemistry *24006
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals *00520
     Biochemical Studies - Proteins, Peptides and Amino Acids *10064
     Pathology, General and Miscellaneous - Therapy *12512
     Tissue Culture, Apparatus, Methods and Media *32500
     Hominidae
     Major Concepts
        Tumor Biology
     Chemicals & Biochemicals
```

```
PR-39 gene: tumor cell actin structure alteration,
        tumor cell invasion suppression, tumor cell transfection
     Miscellaneous Descriptors
IT
        Meeting Abstract
ORGN Super Taxa
        Hominidae: Primates, Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        HLF (Hominidae): human hepatoma cell line, in-vitro gene therapy model
        system
ORGN Organism Superterms
        Animals; Chordates; Humans; Mammals; Primates; Vertebrates
     132579-20-5 (ACTIN)
RN
     52622-12-5Q (PR-39)
     139637-11-9Q (PR-39)
    ANSWER 9 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
T.49
ΑN
     1998:204187 BIOSIS
DN
     PREV199800204187
     Suppression of inflammatory liver injury by a proline-arginine-rich
TΙ
     peptide, PR-39.
     Ross, C. R. (1); Blecha, F.; Basaraba, R.
ΑU
CS
     (1) Dep. Anatomy, Kansas State Univ., Manhattan, KS 66506 USA
     FASEB Journal, (March 20, 1998) Vol. 12, No. 5, pp. A1004.
SO
     Meeting Info.: Annual Meeting of the Professional Research Scientists
     on Experimental Biology 98, Part II San Francisco, California, USA
     April 18-22, 1998 Federation of American Societies for Experimental
     Biology
     . ISSN: 0892-6638.
DT
     Conference
LΑ
     English
     Digestive System - Pathology *14006
CC
     Pathology, General and Miscellaneous - Inflammation and Inflammatory
     Disease *12508
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals *00520
     Biochemical Studies - General *10060
IT
     Major Concepts
        Dental and Oral System (Ingestion and Assimilation)
IT
     Diseases
        inflammatory liver injury: digestive system disease, injury
IT
     Chemicals & Biochemicals
        PR-39: proline-arginine-rich peptide
IT
     Miscellaneous Descriptors
        Meeting Abstract
     52622-12-5Q (PR-39)
RN
     139637-11-9Q (PR-39)
L49 ANSWER 10 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
     1998:195926 BIOSIS
ΑN
DN
     PREV199800195926
ΤI
     Proline-rich antimicrobial peptide, PR-39, suppresses
     invasion and motility of human hepatoma: Dependence on sydecan-1 induction
     and actin structure alteration.
     Ohtake, T.; Fujimoto, Y.; Ikuta, K.; Tanaka, K.; Saito, H.; Ohhira, M.;
AU
     Ono, M.; Kohgo, Y.
CS
     Third Dep. Intern. Med., Asahikawa Med. Coll., Nishikagura 4-5, Asahikawa
     Japan
SO
     Proceedings of the American Association for Cancer Research Annual
     Meeting, (March, 1998) Vol. 39, pp. 301.
     Meeting Info.: 89th Annual Meeting of the American Association for
     Cancer Research New Orleans, Louisiana, USA March 28-April 1, 1998
     American Association for Cancer Research
     . ISSN: 0197-016X.
DT
     Conference
```

Neoplasms and Neoplastic Agents - Pathology; Clinical Aspects; Systemic

 $_{
m LA}$

CC

English

Effects *24004 General Biology - Symposia, Transactions and Proceedings of Conferences, Congresses, Review Annuals *00520 Biochemical Studies - Proteins, Peptides and Amino Acids *10064 TΤ Major Concepts Tumor Biology IT Diseases hepatoma: digestive system disease, neoplastic disease Chemicals & Biochemicals IT actin: structure alteration; sydecan-1: dependence, induction; PR-39: proline-rich antimicrobial peptide Miscellaneous Descriptors IT Meeting Abstract 147-85-3Q (PROLINE) RN 609-36-9Q (PROLINE) 52622-12-5Q (PR-39) 139637-11-9Q (PR-39) 132579-20-5 (ACTIN) L49 ANSWER 11 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS 1998:21063 BIOSIS ΑN PREV199800021063 DN ΤI PR-39, a syndecan-inducing peptide secreted during wound repair, binds intracellular SH3 targets. Chan, Y. R.; Gallo, R. ΑIJ Dep. Dermatol., Child. Hosp., Harvard Med. Sch., Boston, MA 02115 USA CS Molecular Biology of the Cell, (Nov., 1997) Vol. 8, No. SUPPL., pp. 282A. so Meeting Info.: 37th Annual Meeting of the American Society for Cell Biology Washington, D.C., USA December 13-17, 1997 American Society for Cell Biology . ISSN: 1059-1524. DTConference LA English Cytology and Cytochemistry - Animal *02506 CC Biochemical Studies - Proteins, Peptides and Amino Acids *10064 Enzymes - Physiological Studies *10808 Anatomy and Histology, General and Comparative - Regeneration and *11107 Transplantation General Biology - Symposia, Transactions and Proceedings of Conferences, Congresses, Review Annuals *00520 IT Major Concepts Cell Biology Parts, Structures, & Systems of Organisms IT mesenchymal cell IT Chemicals & Biochemicals phospholipase C gamma; syndecan: expression; PR-39: secretion Miscellaneous Descriptors IT integrin signaling; wound repair; Meeting Abstract; Meeting Poster 52622-12-5Q (PR-39) RN 139637-11-9Q (PR-39) 153-87-7Q (INTEGRIN) 60791-49-3Q (INTEGRIN) 9001-86-9 (PHOSPHOLIPASE C) L49 ANSWER 12 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS 1997:510133 BIOSIS AN DN PREV199799809336 ΤI Macrophage-dependent regulation of syndecan gene expression. ΑU Li, Jian; Brown, Lawrence F.; Laham, Roger J.; Volk, Rudiger; Simons, Michael (1) (1) Cardiovasc. Div., RW-453, Beth Israel Deaconess Med. Cent., 330 CS Brookline Ave., Boston, MA 02215 USA Circulation Research, (1997) Vol. 81, No. 5, pp. 785-796. SO

ISSN: 0009-7330.

```
DT Article
```

LA English

Heparan sulfates in the extracellular matrix are required for a variety of AB biological processes, including cellular response to heparin-binding growth factors. However, little is known regarding the regulation of their expression and composition under pathophysiological conditions. In the present study, we have investigated the regulation of expression of two key heparan sulfate chain-carrying core proteins, syndecan-1 and syndecan-4, in a mouse/rat infarct model of tissue injury and repair. Induction of myocardial infarction was associated with a prompt increase in expression of both syndecan genes. Although infiltrating macrophages accounted for a substantial increase in syndecan expression, increased expression was noted in the levels of syndecan-1 mRNA in endothelial cells and syndecan-4 mRNA in cardiac myocytes. This increase in expression was limited to the immediate peri-infarct region and was absent from remote areas of the left or right ventricles. The influx of blood-derived macrophages in the heart correlated with the appearance of PR-39 peptide, which has previously been shown to increase syndecan expression in vitro. Studies in the op/op mice strain (which demonstrates sharply reduced levels of circulating monocytes) showed that myocardial infarction was associated with markedly reduced levels of macrophage influx and corresponding reduction in the expression of PR-39 and both syndecan genes. Pretreatment of op/op mice with granulocyte macrophage colony-stimulating factor restored myocardial macrophage content with corresponding restoration of PR-39/syndecan expression. In summary, myocardial infarction is associated with a distinct spatial and temporal pattern of syndecan-1 and -4 gene expression, which is induced by an influx of blood-derived macrophages.

CC Biochemical Studies - General *10060 Cardiovascular System - General; Methods *14501 Immunology and Immunochemistry - General; Methods *34502

BC Muridae *86375

IT Major Concepts

Biochemistry and Molecular Biophysics; Cardiovascular System (Transport and Circulation); Immune System (Chemical Coordination and Homeostasis)

IT Chemicals & Biochemicals

HEPARIN SULFATES; PR-39

IT Miscellaneous Descriptors

ANIMAL MODEL; BIOCHEMISTRY AND BIOPHYSICS; BLOOD AND LYMPHATICS; BLOOD-DERIVED; EXPRESSION; GRANULOCYTE MACROPHAGE COLONY-STIMULATION FACTOR; HEART DISEASE; HEPARIN SULFATES; HEPARIN-BINDING GROWTH FACTORS; IMMUNE SYSTEM; MACROPHAGE-DEPENDENT REGULATION; MACROPHAGES; MYOCARDIAL INFARCTION; PR-39 PEPTIDE; SYNDECAN GENE EXPRESSION; SYNDECAN-1; SYNDECAN-4; VASCULAR DISEASE

ORGN Super Taxa

Muridae: Rodentia, Mammalia, Vertebrata, Chordata, Animalia

ORGN Organism Name

mouse (Muridae); rat (Muridae)

ORGN Organism Superterms

animals; chordates; mammals; nonhuman mammals; nonhuman vertebrates; rodents; vertebrates

RN 9005-49-6D (HEPARIN SULFATES)

52622-12-5Q (PR-39)

139637-11-9Q (PR-39)

- L49 ANSWER 13 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
- AN 1997:282147 BIOSIS
- DN PREV199799581350
- TI Prevention of Chlamydia trachomatis infection by antimicrobial peptides.
- AU Burillo, C. A.; Fontenot, J. D.; Phillips, D. M.
- CS Population Council, New York, NY USA
- SO Abstracts of the General Meeting of the American Society for Microbiology, (1997) Vol. 97, No. 0, pp. 100.

 Meeting Info.: 97th General Meeting of the American Society for Microbiology Miami Beach, Florida, USA May 4-8, 1997

```
ISSN: 1060-2011.
DΤ
     Conference; Abstract; Conference
     English
LA
CC
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals
                                               00520
     Pathology, General and Miscellaneous - Therapy
    Medical and Clinical Microbiology - Bacteriology *36002
     Chemotherapy - Antibacterial Agents *38504
BC
     Chlamydiaceae
                      07121
    Muridae *86375
IT
    Major Concepts
        Infection; Pharmacology
     Chemicals & Biochemicals
IT
        PR-39
TT
    Miscellaneous Descriptors
        ANIMAL MODEL; ANTIBACTERIAL-DRUG; HOST; INFECTION; PATHOGEN;
        PHARMACOLOGY; PR-39; PROPHENIN-1
ORGN Super Taxa
        Chlamydiaceae: Eubacteria, Bacteria; Muridae: Rodentia, Mammalia,
        Vertebrata, Chordata, Animalia
ORGN Organism Name
        mouse (Muridae); Chlamydia trachomatis (Chlamydiaceae)
ORGN Organism Superterms
        animals; bacteria; chordates; eubacteria; mammals; microorganisms;
        nonhuman mammals; nonhuman vertebrates; rodents; vertebrates
RN
     52622-12-5Q (PR-39)
     139637-11-9Q (PR-39)
L49 ANSWER 14 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
    1997:277909 BIOSIS
AΝ
     PREV199799577112
DN
TΤ
    PR 39, a endogenous antimicrobial peptide, accelerated
     healing of acetic acid-induced gastric ulcers in rats.
AU
     Onodera, S.; Okumura, T.; Ono, M.; Takahashi, N.; Kohgo, Y.
CS
     Third Dep. Internal Med., Asahikawa Med. Coll., Asahikawa 078 Japan
so
     Gastroenterology, (1997) Vol. 112, No. 4 SUPPL., pp. A246.
    Meeting Info.: Digestive Disease Week and the 97th Annual Meeting of
     the American Gastroenterological Association Washington, D.C., USA
    May 11-14, 1997
     ISSN: 0016-5085.
DT
    Conference; Abstract
    English
LΑ
CC
     General Biology - Symposia, Transactions and Proceedings of
    Conferences, Congresses, Review Annuals
    Biochemical Studies - Proteins, Peptides and Amino Acids
    Anatomy and Histology, General and Comparative - Regeneration and
                       *11107
    Transplantation
    Digestive System - Pathology *14006
BC
    Muridae *86375
ΙT
    Major Concepts
        Digestive System (Ingestion and Assimilation); Physiology
     Chemicals & Biochemicals
TΤ
        PR 39; ACETIC ACID
TΨ
    Miscellaneous Descriptors
        ACCELERATED HEALING; ACETIC ACID-INDUCED GASTRIC ULCERS; ANIMAL MODEL;
        BIOCHEMISTRY AND BIOPHYSICS; DIGESTIVE SYSTEM; DIGESTIVE SYSTEM
        DISEASE; ENDOGENOUS ANTIMICROBIAL PEPTIDE; PR 39
ORGN Super Taxa
        Muridae: Rodentia, Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        rat (Muridae)
ORGN Organism Superterms
        animals; chordates; mammals; nonhuman mammals; nonhuman vertebrates;
        rodents; vertebrates
RN
     52622-12-5Q (PR 39)
```

139637-11-9Q (PR 39)

```
64-19-7 (ACETIC ACID)
    ANSWER 15 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
AΝ
     1997:233874 BIOSIS
DN
     PREV199799533077
TI
     PR-39, a proline-rich antimicrobial peptide, confers
     invasive phenotype and actin structure on human hepatoma cells.
     Ohtake, T.; Fujimoto, Y.; Matsumoto, A.; Ohhira, M.; Ono, M.; Kohqo, Y.
ΑU
     3rd Dep. Intern. Med., Asahikawa Med. Coll., Nishikagura 4-5, Asahikawa
CS
     078 Japan
SO
     Proceedings of the American Association for Cancer Research Annual
     Meeting, (1997) Vol. 38, No. 0, pp. 548.
     Meeting Info.: Eighty-eighth Annual Meeting of the American
     Association for Cancer Research San Diego, California, USA April
     12-16, 1997
     ISSN: 0197-016X.
DT
     Conference; Abstract
     English
LA
CC
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals
     Cytology and Cytochemistry - Human *02508
     Biochemical Studies - Proteins, Peptides and Amino Acids *10064
     Biophysics - Molecular Properties and Macromolecules *10506
     Digestive System - Pathology *14006
     Neoplasms and Neoplastic Agents - Pathology; Clinical Aspects; Systemic
     Effects *24004
     Neoplasms and Neoplastic Agents - Biochemistry *24006
    Hominidae *86215
BC
IT
    Major Concepts
        Biochemistry and Molecular Biophysics; Cell Biology; Gastroenterology
        (Human Medicine, Medical Sciences); Oncology (Human Medicine, Medical
        Sciences)
     Chemicals & Biochemicals
IT
        PR-39; PROLINE; ACTIN
     Miscellaneous Descriptors
IT
        BIOCHEMISTRY AND BIOPHYSICS; CELL BIOLOGY; HLF CELL LINE; HUMAN
        HEPATOMA CELLS; INVASIVE PHENOTYPE; PR-39;
      PROLINE-RICH ANTIMICROBIAL PEPTIDE; SYNDECAN-1; TUMOR BIOLOGY
ORGN Super Taxa
        Hominidae: Primates, Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        Hominidae (Hominidae)
ORGN Organism Superterms
        animals; chordates; humans; mammals; primates; vertebrates
RN
     52622-12-5Q (PR-39)
     139637-11-9Q (PR-39)
     147-85-3 (PROLINE)
     132579-20-5 (ACTIN)
    ANSWER 16 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
L49
AN
     1997:185663 BIOSIS
DN
     PREV199799484866
     NADPH oxidase inhibition blocks postischemic leukocyte adhesion.
ΤI
ΑU
     Ross, C. R. (1); Blecha, F.; Korthuis, R. J.
CS
     (1) Dep. Anatomy Physiol., Kansas State Univ., Manhattan, KS USA
SO
     FASEB Journal, (1997) Vol. 11, No. 3, pp. A340.
     Meeting Info.: Annual Meeting of the Professional Research Scientists
     on Experimental Biology 97 New Orleans, Louisiana, USA April 6-9,
     1997
     ISSN: 0892-6638.
DT
     Conference; Abstract
LΑ
     English
CC
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals
                                               00520
```

Cytology and Cytochemistry - Animal *02506

*10012

Biochemistry - Gases

```
Enzymes - Physiological Studies *10808
     Cardiovascular System - Blood Vessel Pathology *14508
     Blood, Blood-Forming Organs and Body Fluids - Blood Cell Studies *15004
     Blood, Blood-Forming Organs and Body Fluids - Lymphatic Tissue and
     Reticuloendothelial System *15008
BC
    Muridae *86375
IT
    Major Concepts
        Biochemistry and Molecular Biophysics; Blood and Lymphatics (Transport
        and Circulation); Cardiovascular System (Transport and Circulation);
        Cell Biology; Enzymology (Biochemistry and Molecular Biophysics)
     Chemicals & Biochemicals
IT
        NADPH OXIDASE; PR-39; OXYGEN
     Miscellaneous Descriptors
IT
        ADHESION; BLOOD AND LYMPHATICS; CARDIOVASCULAR SYSTEM; CIRCULATORY
        SYSTEM; DIGESTIVE SYSTEM; EMIGRATION; ENZYME INHIBITOR; EXTRAVASATION;
        ISCHEMIA-REPERFUSION INJURY; LEUKOCYTE; MESENTERIC VEIN; NADPH OXIDASE;
        NEUTROPHIL; PR-39; PRODUCTION; REACTIVE OXYGEN
        SPECIES
ORGN Super Taxa
        Muridae: Rodentia, Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        rat (Muridae)
ORGN Organism Superterms
        animals; chordates; mammals; nonhuman mammals; nonhuman vertebrates;
        rodents; vertebrates
     9032-22-8Q (NADPH OXIDASE)
RN
     37256-37-4Q (NADPH OXIDASE)
     52622-12-5Q (PR-39)
     139637-11-9Q (PR-39)
     7782-44-7 (OXYGEN)
L49 ANSWER 17 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
AN
     1997:101590 BIOSIS
     PREV199799400793
DN
ΤI
     PR-39, a proline-rich peptide antibiotic from pig, and
     FALL-39, a tentative human counterpart.
     Agerberth, Birgitta (1); Gunne, Hans; Odeberg, Jacob; Kogner, Per; Boman,
ΑU
     Hans G.; Gudmundsson, Gudmundur H.
     (1) Dep. Microbiol., Stockholm Univ., S-10691 Stockholm Sweden
CS
SO
     Veterinary Immunology and Immunopathology, (1996) Vol. 54, No. 1-4, pp.
     127-131.
     Meeting Info.: Fourth International Veterinary Immunology
     Symposium Davis, California, USA July 1995
     ISSN: 0165-2427.
DT
     Conference
LA
     English
     General Biology - Symposia, Transactions and Proceedings of
CC
     Conferences, Congresses, Review Annuals
                                               00520
     Metabolism - Proteins, Peptides and Amino Acids
                                                       *13012
     Medical and Clinical Microbiology - Bacteriology *36002
     Chemotherapy - Antibacterial Agents *38504
     Pharmacognosy and Pharmaceutical Botany *54000
BC.
     Enterobacteriaceae
                           06702
                                         07810
     Endospore-forming Gram-Positives
              85740
     Suidae
     Hominidae *86215
IT
     Major Concepts
        Infection; Metabolism; Pharmacognosy (Pharmacology); Pharmacology
TT
     Chemicals & Biochemicals
        PR-39; PROLINE
IT
     Miscellaneous Descriptors
        ANTIBACTERIAL-DRUG; CATHELIN PROPART; CHROMOSOME MAPPING; FALL-39;
        GENOMIC CLONING; MISCELLANEOUS METHOD; PHARMACOGNOSY; PR-
      39; PROLINE-RICH PEPTIDE
ORGN Super Taxa
```

Endospore-forming Gram-Positives: Eubacteria, Bacteria;

Enterobacteriaceae: Eubacteria, Bacteria; Hominidae: Primates, Mammalia, Vertebrata, Chordata, Animalia; Suidae: Artiodactyla, Mammalia, Vertebrata, Chordata, Animalia ORGN Organism Name endospore-forming gram-positive rods and cocci (Endospore-forming Gram-Positives); human (Hominidae); pig (Suidae); Bacillus megaterium (Endospore-forming Gram-Positives); Escherichia coli (Enterobacteriaceae) ORGN Organism Superterms animals; artiodactyls; bacteria; chordates; eubacteria; humans; mammals; microorganisms; nonhuman mammals; nonhuman vertebrates; primates; vertebrates 52622-12-5Q (PR-39) RN 139637-11-9Q (PR-39) 147-85-3 (PROLINE) L49 ANSWER 18 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS 1996:327386 BIOSIS AN DN PREV199699049742 PR-39, a proline-rich antibacterial peptide that ΤI inhibits phagocyte NADPH oxidase activity by binding to Src homology 3 domains of p47-phox. Shi, Jishu; Ross, Christopher R.; Leto, Thomas L.; Blecha, Frank (1) ΑU (1) Dep. Anat. Physiol., Coll. Vet. Med., Kans. State Univ., Manhattan, KS CS 66506-5602 USA Proceedings of the National Academy of Sciences of the United States SO of America, (1996) Vol. 93, No. 12, pp. 6014-6018. ISSN: 0027-8424. DT Article English LΑ Reactive oxygen intermediates generated by the phagocyte NADPH oxidase are AΒ critically important components of host defense. However, these highly toxic oxidants can cause significant tissue injury during inflammation; thus, it is essential that their generation and inactivation are tightly regulated. We show here that an endogenous proline-arginine (PR)-rich antibacterial peptide, PR-39, inhibits NADPH oxidase activity by blocking assembly of this enzyme through interactions with Src homology 3 domains of a cytosolic component. This neutrophil-derived peptide inhibited oxygen-dependent microbicidal activity of neutrophils in whole cells and in a cell-free assay of NADPH oxidase. Both oxidase inhibitory and direct antimicrobial activities were defined within the amino-terminal 26 residues of PR-39 . Oxidase inhibition was attributed to binding of PR-39 to the p47-phox cytosolic oxidase component. Its effects involve both a polybasic amino-terminal segment and a proline-rich core region of PR-39 that binds to the P47-phox Src homology 3 domains and, thereby, inhibits interaction with the small subunit of cytochrome b-558, p22-phox. These findings suggest that PR-39, which has been shown to be involved in tissue repair processes, is a multifunctional peptide that can regulate NADPH oxidase production of superoxide anion (O-2.-), thus limiting excessive tissue damage during inflammation. CC Cytology and Cytochemistry - Animal *02506 Biochemical Studies - General *10060 Biochemical Studies - Proteins, Peptides and Amino Acids *10064 Biochemical Studies - Porphyrins and Bile Pigments *10065 Biophysics - Molecular Properties and Macromolecules *10506 Enzymes - Chemical and Physical *10806 Pathology, General and Miscellaneous - Inflammation and Inflammatory Disease *12508 Metabolism - General Metabolism; Metabolic Pathways *13002 Blood, Blood-Forming Organs and Body Fluids - Blood Cell Studies *15004 Blood, Blood-Forming Organs and Body Fluids - Lymphatic Tissue and Reticuloendothelial System *15008 Immunology and Immunochemistry - Bacterial, Viral and Fungal *34504

Immunology and Immunochemistry - Immunopathology, Tissue Immunology

```
*34508
BC
     Suidae *85740
IT
    Major Concepts
        Biochemistry and Molecular Biophysics; Blood and Lymphatics (Transport
        and Circulation); Cell Biology; Enzymology (Biochemistry and Molecular
        Biophysics); Immune System (Chemical Coordination and Homeostasis);
        Metabolism; Pathology
     Chemicals & Biochemicals
IT
        PR-39; PROLINE; NADPH OXIDASE; SUPEROXIDE
     Miscellaneous Descriptors
IT
        CYTOCHROME B-558; HOST DEFENSE; INFLAMMATION; POLY-BASIC AMINO-TERMINAL
        SEGMENT; PROLINE-RICH CORE REGION; PROTEIN-PROTEIN INTERACTION;
        P22-PHOX; SUPEROXIDE ANION
ORGN Super Taxa
        Suidae: Artiodactyla, Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        porcine (Suidae)
ORGN Organism Superterms
        animals; artiodactyls; chordates; mammals; nonhuman mammals; nonhuman
        vertebrates; vertebrates
RN
     52622-12-5Q (PR-39)
     139637-11-9Q (PR-39)
     147-85-3 (PROLINE)
     9032-22-8Q (NADPH OXIDASE)
     37256-37-4Q (NADPH OXIDASE)
     11062-77-4 (SUPEROXIDE)
L49 ANSWER 19 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
     1996:305538 BIOSIS
AN
     PREV199699027894
DN
     PR-39: A proline-rich antimicrobial peptide from
ΤI
     neutrophils that inhibits NADPH oxidase by binding to a SH3 domain of
     P47PHOX.
     Leto, T. L. (1); Shi, J.; Ross, C. R.; Blecha, F.
ΑIJ
     (1) NIAID, NIH, Bethesda, MD 20892 USA
CS
     Journal of Investigative Medicine, (1996) Vol. 44, No. 3, pp. 268A.
SO
     Meeting Info.: Annual Meeting of the Association of American
     Physicians, the American Society for Clinical Investigation, and the
     American Federation for Clinical Research: Biomedicine '96, Medical
     Research from Bench to Bedside Washington, D.C., USA May 3-6, 1996
     ISSN: 1081-5589.
DT
     Conference
LA
     English
CC
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals
     Cytology and Cytochemistry - Human *02508
     Biochemical Studies - Proteins, Peptides and Amino Acids
                                                                10064
     Biophysics - Membrane Phenomena *10508
     Enzymes - Physiological Studies *10808
     Pathology, General and Miscellaneous - Inflammation and Inflammatory
     Disease *12508
     Metabolism - Energy and Respiratory Metabolism *13003
     Blood, Blood-Forming Organs and Body Fluids - Lymphatic Tissue and
     Reticuloendothelial System *15008
     Physiology and Biochemistry of Bacteria *31000
     Immunology and Immunochemistry - Bacterial, Viral and Fungal *34504
BC
        00500
     Hominidae *86215
IT
     Major Concepts
        Blood and Lymphatics (Transport and Circulation); Cell Biology;
        Enzymology (Biochemistry and Molecular Biophysics); Immune System
        (Chemical Coordination and Homeostasis); Membranes (Cell Biology);
        Metabolism; Pathology; Physiology
IT
     Chemicals & Biochemicals
        PR-39; PROLINE; NADPH OXIDASE
```

ΙT

Miscellaneous Descriptors

```
IMMUNE RESPONSE; INFLAMMATION; MEETING ABSTRACT;
ORGN Super Taxa
        Hominidae: Primates, Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        human (Hominidae); organisms (Organisms - Unspecified)
ORGN Organism Superterms
        animals; chordates; humans; mammals; primates; vertebrates
     52622-12-5Q (PR-39)
RN
     139637-11-9Q (PR-39)
     147-85-3 (PROLINE)
     9032-22-8Q (NADPH OXIDASE)
     37256-37-4Q (NADPH OXIDASE)
L49 ANSWER 20 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
     1996:52791 BIOSIS
AN
     PREV199698624926
DN
TI
     PR-39, an antimicrobial peptide, induces syndecans,
     binds a receptor and increases cAMP in mesenchymal cells.
ΑU
     Gallo, R. L.; Povsic, T. J.; Bemfield, M.
     Children's Hosp., Harvard Med. Sch., Boston, MA 02115 USA
CS
     Molecular Biology of the Cell, (1995) Vol. 6, No. SUPPL., pp. 162A.
SO
     Meeting Info.: Thirty-fifth Annual Meeting of the American Society
     for Cell Biology Washington, D.C., USA December 9-13, 1995
     ISSN: 1059-1524.
DT
     Conference
LA
     English
CC
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals
                                               00520
     Cytology and Cytochemistry - Animal *02506
     Biochemical Studies - Nucleic Acids, Purines and Pyrimidines *10062
     Biochemical Studies - Proteins, Peptides and Amino Acids *10064
     Biochemical Studies - Carbohydrates *10068
     Biophysics - Membrane Phenomena *10508
     Muridae *86375
BC
     Major Concepts
IT
        Biochemistry and Molecular Biophysics; Cell Biology; Membranes (Cell
        Biology)
     Chemicals & Biochemicals
IT
        PR-39; CYCLIC AMP; HEPARAN SULFATE
IT
     Miscellaneous Descriptors
        CYCLIC AMP; HEPARAN SULFATE; INTEGRAL MEMBRANE PROTEOGLYCAN;
      MEETING ABSTRACT; MEETING POSTER;
        MOUSE NIH-3T3 CELL; SECOND MESSENGER; SIGNAL TRANSDUCTION; WOUND REPAIR
ORGN Super Taxa
        Muridae: Rodentia, Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        Muridae (Muridae)
ORGN Organism Superterms
        animals; chordates; mammals; nonhuman vertebrates; nonhuman mammals;
        rodents; vertebrates
RN
     52622-12-5Q (PR-39)
     139637-11-9Q (PR-39)
     60-92-4 (CYCLIC AMP)
     9050-30-0 (HEPARAN SULFATE)
L49 ANSWER 21 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
     1995:525790 BIOSIS
AN
     PREV199598540090
DN
     Characterization of the antibacterial activity of PR-39
ΤI
     and its functional domain, PR-26.
ΑU
     Shi, Jishu (1); Blecha, Frank
     (1) Kans. State Univ., Manhattan, KS 66506 USA
CS
     Abstracts of the Interscience Conference on Antimicrobial Agents and
SO
     Chemotherapy, (1995) Vol. 35, No. 0, pp. 133.
     Meeting Info.: 35th Interscience Conference on Antimicrobial Agents
```

```
and Chemotherapy San Francisco, California, USA September 17-20, 1995
DΤ
     Conference
LΑ
     English
     Pathology, General and Miscellaneous - Comparative *12503
CC
     Pathology, General and Miscellaneous - Therapy
     Digestive System - Pathology *14006
     Pharmacology - Clinical Pharmacology
                                            *22005
     Pharmacology - Digestive System *22014
     Laboratory Animals - General
                                    *28002
     Medical and Clinical Microbiology - Bacteriology *36002
     Veterinary Science - Microbiology *38006
     Chemotherapy - Antibacterial Agents *38504
     Enterobacteriaceae
                           06702
BC
             85740
     Suidae
     Hominidae 86215
     Muridae *86375
IT
     Major Concepts
        Animal Care; Gastroenterology (Human Medicine, Medical Sciences);
        Infection; Pathology; Pharmacology; Veterinary Medicine (Medical
        Sciences)
     Chemicals & Biochemicals
IT
        PR-39
TT
     Miscellaneous Descriptors
        ANTIBACTERIAL-DRUG; HUMAN RELEVANCE; INTESTINE; MEETING
      ABSTRACT; MEETING POSTER
ORGN Super Taxa
        Enterobacteriaceae: Eubacteria, Bacteria; Hominidae: Primates,
        Mammalia, Vertebrata, Chordata, Animalia; Muridae: Rodentia, Mammalia,
        Vertebrata, Chordata, Animalia; Suidae: Artiodactyla, Mammalia,
        Vertebrata, Chordata, Animalia
ORGN Organism Name
        porcine (Suidae); rat (Muridae); Escherichia coli (Enterobacteriaceae);
        Hominidae (Hominidae); Salmonella choleraesuis (Enterobacteriaceae);
        Salmonella typhimurium (Enterobacteriaceae)
ORGN Organism Superterms
        animals; artiodactyls; bacteria; chordates; eubacteria; humans;
        mammals; microorganisms; nonhuman mammals; nonhuman vertebrates;
        primates; rodents; vertebrates
     52622-12-5Q (PR-39)
RN
     139637-11-9Q (PR-39)
L49 ANSWER 22 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
     1995:408422 BIOSIS
AN
DN
     PREV199598422722
ΤI
     Structure of the gene for porcine peptide antibiotic PR-
     39, a cathelin gene family member: Comparative mapping of the
     locus for the human peptide antibiotic FALL-39.
     Gudmundsson, Gudmundur H. (1); Magnusson, Kristinn P.; Chowdhary, Bhanu
ΑU
     P.; Johansson, Maria; Andersson, Leif; Boman, Hans G.
CS
     (1) Dep. Microbiol., Stockholm Univ., S-106 91 Stockholm Sweden
SO
     Proceedings of the National Academy of Sciences of the United States
     of America, (1995) Vol. 92, No. 15, pp. 7085-7089.
     ISSN: 0027-8424.
DT
     Article
     English
LΑ
     PR-39 is a porcine 39-aa peptide antibiotic composed
AΒ
     of 49% proline and 24% arginine, with an activity against Gram-negative
     bacteria comparable to that of tetracycline. In Escherichia coli, it
     inhibits DNA and protein synthesis. PR-39 was
     originally isolated from pig small intestine, but subsequent cDNA cloning
     showed that the gene is expressed in the bone marrow. The open reading
     frame of the clone showed that PR-39 is made as 173-aa
     precursor whose proregion belongs to the cathelin family. The PR39
     gene, which is rather compact and spans only 1784 bp has now been
     sequenced. The coding information is split into four exons. The first exon
```

contains the signal sequence of 29 residues and the first 37 residues of

the cathelin propart. Exons 2 and 3 contain only cathelin information, while exon 4 codes for the four C-terminal cathelin residues and the mature PR-39 peptide extended by three residues. The sequenced upstream region (1183 bp) contains four potential recognition sites for NF-IL6 and three for APRF, transcription factors known to regulate genes for both cytokines and acute phase response factors. Genomic hybridizations revealed a fairly high level of restriction fragment length polymorphism and indicated that there are at least two copies of the PR39 gene in the pig genome. PR39 was mapped to pig chromosome 13 by linkage and in situ hybridization mapping. The gene for the human peptide antibiotic FALL-39 (also a member of the cathelin family) was mapped to human chromosome 3, which is homologous to pig chromosome 13. Genetics and Cytogenetics - Animal *03506 Genetics and Cytogenetics - Human *03508 Biochemical Studies - Nucleic Acids, Purines and Pyrimidines Biochemical Studies - Proteins, Peptides and Amino Acids Pharmacology - General *22002 Physiology and Biochemistry of Bacteria Chemotherapy - General; Methods; Metabolism *38502 Enterobacteriaceae 06702 85740 Suidae Hominidae *86215 Major Concepts Genetics; Pharmacology Chemicals & Biochemicals PROLINE; ARGININE Miscellaneous Descriptors ARGININE; DNA; PROLINE ORGN Super Taxa Enterobacteriaceae: Eubacteria, Bacteria; Hominidae: Primates, Mammalia, Vertebrata, Chordata, Animalia; Suidae: Artiodactyla, Mammalia, Vertebrata, Chordata, Animalia ORGN Organism Name Escherichia coli (Enterobacteriaceae); Hominidae (Hominidae); Suidae (Suidae) ORGN Organism Superterms animals; artiodactyls; bacteria; chordates; eubacteria; humans; mammals; microorganisms; nonhuman mammals; nonhuman vertebrates; primates; vertebrates 147-85-3 (PROLINE) 74-79-3 (ARGININE) ANSWER 23 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS 1995:283071 BIOSIS PREV199598297371 Identification of a synducin, a novel peptide from wounds that can influence cell behavior by induction of syndecan-1 and -4. Gallo, R. L. (1); Siebert, E. P. (1); Bernfield, M. (1) Dep. Dermatol., Harvard Med. Sch., Boston, MA USA Journal of Investigative Dermatology, (1995) Vol. 104, No. 4, pp. 555. Meeting Info.: Annual Meeting of the Society for Investigative Dermatology Chicago, Illinois, USA May 24-28, 1995 ISSN: 0022-202X. Conference English General Biology - Symposia, Transactions and Proceedings of Conferences, Congresses, Review Annuals 00520 Cytology and Cytochemistry - Animal *02506 Biochemical Studies - Nucleic Acids, Purines and Pyrimidines Biochemical Studies - Proteins, Peptides and Amino Acids Biochemical Studies - Carbohydrates 10068 Biophysics - Molecular Properties and Macromolecules *10506 Anatomy and Histology, General and Comparative - Regeneration and *11107

CC

BC.

IT

IT

RN

L49

AN

DN

TI

ΑIJ

CS

so

DT

LΑ

CC

Transplantation

Metabolism - Carbohydrates *13004

```
Metabolism - Proteins, Peptides and Amino Acids *13012
     Metabolism - Nucleic Acids, Purines and Pyrimidines *13014
     Blood, Blood-Forming Organs and Body Fluids - Lymphatic Tissue and
     Reticuloendothelial System *15008
     Integumentary System - Physiology and Biochemistry *18504
     Developmental Biology - Embryology - General and Descriptive *25502
     Developmental Biology - Embryology - Morphogenesis, General *25508
     Muridae *86375
BC
ΙT
     Major Concepts
        Biochemistry and Molecular Biophysics; Blood and Lymphatics (Transport
        and Circulation); Cell Biology; Development; Integumentary System
        (Chemical Coordination and Homeostasis); Metabolism; Physiology
TΨ
     Miscellaneous Descriptors
        ENDOTHELIAL CELL; FIBROBLAST; HEPARAN SULFATE PROTEOGLYCAN;
      MEETING ABSTRACT; MESSENGER RNA; MOUSE EMBRYO;
        NEUTROPHIL DEVELOPMENT; PR-39 ANTIBACTERIAL PEPTIDE
ORGN Super Taxa
        Muridae: Rodentia, Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        Muridae (Muridae)
ORGN Organism Superterms
        animals; chordates; mammals; nonhuman vertebrates; nonhuman mammals;
        rodents; vertebrates
L49 ANSWER 24 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
     1995:194795 BIOSIS
AN
     PREV199598209095
DN
     Antibacterial activity of synthetic peptides derived from PR-
ΤI
     39, a proline-arginine-rich peptide from porcine neutrophils.
     Shi, J.; Ross, C. R.; Sylte, M. J.; McVey, D. S.; Blecha, F.
ΑU
     Kansas State Univ., Manhattan, KS 66506 USA
CS
     FASEB Journal, (1995) Vol. 9, No. 3, pp. A522.
SO
     Meeting Info.: Experimental Biology 95, Part I Atlanta, Georgia, USA April
     9-13, 1995
     ISSN: 0892-6638.
DT
     Conference
LА
     English
CC
     General Biology - Symposia, Transactions and Proceedings of
     Conferences, Congresses, Review Annuals
                                                00520
                                            02506
     Cytology and Cytochemistry - Animal
     Biochemical Studies - Proteins, Peptides and Amino Acids
     Blood, Blood-Forming Organs and Body Fluids - Blood Cell Studies *15004
     Blood, Blood-Forming Organs and Body Fluids - Lymphatic Tissue and
     Reticuloendothelial System *15008
     Immunology and Immunochemistry - Bacterial, Viral and Fungal *34504 Immunology and Immunochemistry - Immunopathology, Tissue Immunology
     *34508
     Medical and Clinical Microbiology - Bacteriology *36002
     Chemotherapy - Antibacterial Agents *38504
                            06702
BC.
     Enterobacteriaceae
     Suidae *85740
IT
     Major Concepts
        Blood and Lymphatics (Transport and Circulation); Immune System
        (Chemical Coordination and Homeostasis); Infection; Pharmacology
TT
     Chemicals & Biochemicals
        PR-39; TETRACYCLINE
TΤ
     Miscellaneous Descriptors
        ANTIBACTERIAL-DRUG; ANTIBIOTICS; IMMUNE RESPONSE; MEETING
      ABSTRACT; TETRACYCLINE
ORGN Super Taxa
        Enterobacteriaceae: Eubacteria, Bacteria; Suidae: Artiodactyla,
        Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        Salmonella choleraesuis (Enterobacteriaceae); Salmonella typhimurium
        (Enterobacteriaceae); Suidae (Suidae)
```

ORGN Organism Superterms

animals; artiodactyls; bacteria; chordates; eubacteria; mammals; microorganisms; nonhuman mammals; nonhuman vertebrates; vertebrates RN 52622-12-5Q (PR-39) 139637-11-9Q (PR-39) 60-54-8 (TETRACYCLINE) ANSWER 25 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS L49 1995:107699 BIOSIS AN DN PREV199598121999 TΙ FALL-39, a putative human peptide antibiotic, is cysteine-free and expressed in bone marrow and testis. ΑIJ Agerberth, Birgitta (1); Gunne, Hans (1); Odeberg, Jakob; Kogner, Per; Boman, Hans G. (1); Gudmundsson, Gudmundur H. (1) (1) Dep. Microbiol., Stockholm Univ., S-10691 Stockholm Sweden CS Proceedings of the National Academy of Sciences of the United States SO of America, (1995) Vol. 92, No. 1, pp. 195-199. ISSN: 0027-8424. Article דת English LΑ AB PR-39, a proline/arginine-rich peptide antibiotic, has been purified from pig intestine and later shown to originate in the bone marrow. Intending to isolate a clone for a human counterpart to PR -39, we synthesized a PCR probe derived from the PR-39 gene. However, when this probe was used to screen a human bone marrow cDNA library, eight clones were obtained with information for another putative human peptide antibiotic, designated FALL-39 after the first four residues. FALL-39 is a 39-residue peptide lacking cysteine and tryptophan. All human peptide antibiotics previously isolated (or predicted) belong to the defensin family and contain three disulfide bridges. The clone for prepro-FALL-39 encodes a cathelin-like precursor protein with 170 amino acid residues. We have postulated a dibasic processing site for the mature FALL-39 and chemically synthesized the putative peptide. In basal medium E, synthetic FALL-39 was highly active against Escherichia coli and Bacillus megaterium. Residues 13-34 in FALL-39 can be predicted to form a perfect amphiphatic helix, and CD spectra showed that medium E induced 30% helix formation in FALL-39. RNA blot analyses disclosed that the gene for FALL-39 is expressed mainly in human bone marrow and testis. CC Genetics and Cytogenetics - Human *03508 Biochemical Studies - Proteins, Peptides and Amino Acids Metabolism - Proteins, Peptides and Amino Acids *13012 Blood, Blood-Forming Organs and Body Fluids - Lymphatic Tissue and Reticuloendothelial System *15008 Reproductive System - Physiology and Biochemistry *16504 BC Enterobacteriaceae 06702 Endospore-forming Gram-Positives 07810 Hominidae *86215 IT Major Concepts Blood and Lymphatics (Transport and Circulation); Genetics; Metabolism; Reproductive System (Reproduction) IT Chemicals & Biochemicals CYSTEINE Miscellaneous Descriptors IT GENE EXPRESSION ORGN Super Taxa Endospore-forming Gram-Positives: Eubacteria, Bacteria; Enterobacteriaceae: Eubacteria, Bacteria; Hominidae: Primates, Mammalia, Vertebrata, Chordata, Animalia ORGN Organism Name endospore-forming gram-positive rods and cocci (Endospore-forming Gram-Positives); Bacillus megaterium (Endospore-forming Gram-Positives); Escherichia coli (Enterobacteriaceae); Hominidae (Hominidae) ORGN Organism Superterms animals; bacteria; chordates; eubacteria; humans; mammals;

microorganisms; primates; vertebrates

```
RN 52-90-4 (CYSTEINE)
```

- L49 ANSWER 26 OF 26 BIOSIS COPYRIGHT 2000 BIOSIS
- AN 1995:31838 BIOSIS
- DN PREV199598046138
- TI Syndecans, cell surface heparan sulfate proteoglycans, are induced by a proline-rich antimicrobial peptide from wounds.
- AU Gallo, Richard L. (1); Ono, Minoru; Povsic, Thomas; Page, Curtis; Eriksson, Elof; Klagsburn, Michael; Bernfield, Merton
- CS (1) Joint Program Neonatol., Harvard Med. Sch., 300 Longwood Ave., Boston, MA 02115 USA
- SO Proceedings of the National Academy of Sciences of the United States of America, (1994) Vol. 91, No. 23, pp. 11035-11039. ISSN: 0027-8424.
- DT Article
- LA English
- AB Cell surface heparan sulfate proteoglycans, such as the syndecans, are required for cellular responses to heparin-binding growth factors and extracellular matrix components. Expression of syndecan-1 and -4 is induced in mesenchymal cells during wound repair in the mouse, consistent with a role for syndecans in regulating cell proliferation and migration in response to these effectors. Here we show that wound fluid contains inductive activity that mimics the in vivo induction in time of appearance, specificity for mesenchymal cells, and selectivity for syndecan-1 and -4. We have purified and synthesized a 4.8-kDa proline-rich protein from wound fluid that reproduces this induction of syndecan-1 and -4 in cultured cells. This peptide, identical to the antibacterial peptide PR-39, is released into the wound by the cellular infiltrate and induces syndecan expression at the same peptide concentrations that lyse bacteria. These results indicate that wounds contain a multifunctional protein that induces mammalian cells to express cell surface heparan sulfate proteoglycans as part of the wound repair process and that kills bacteria as part of a nonimmune defense mechanism.
- CC Cytology and Cytochemistry Animal *02506 Biochemical Studies - Proteins, Peptides and Amino Acids *10064 Biophysics - Membrane Phenomena *10508

Metabolism - Carbohydrates 13004

Metabolism - Minerals 13010

Metabolism - Proteins, Peptides and Amino Acids 13012

Endocrine System - General *17002

Immunology and Immunochemistry - Bacterial, Viral and Fungal *34504 Medical and Clinical Microbiology - Bacteriology *36002

BC Bacteria - General Unspecified 05000

Muridae *86375

IT Major Concepts

Biochemistry and Molecular Biophysics; Cell Biology; Endocrine System (Chemical Coordination and Homeostasis); Immune System (Chemical Coordination and Homeostasis); Infection; Membranes (Cell Biology)

IT Chemicals & Biochemicals

HEPARAN SULFATE; PROLINE

IT Miscellaneous Descriptors

ANTI-BACTERIAL DEFENSE; GROWTH FACTOR RESPONSE; PEPTIDE-39

ORGN Super Taxa

Bacteria - General Unspecified: Eubacteria, Bacteria; Muridae: Rodentia, Mammalia, Vertebrata, Chordata, Animalia

ORGN Organism Name

bacteria (Bacteria - General Unspecified); mouse (Muridae)

ORGN Organism Superterms

animals; bacteria; chordates; eubacteria; mammals; microorganisms; nonhuman mammals; nonhuman vertebrates; rodents; vertebrates

RN 9050-30-0 (HEPARAN SULFATE)

147-85-3 (PROLINE)

```
(FILE 'HOME' ENTERED AT 11:39:29 ON 12 DEC 2000)
                SET COST OFF
     FILE 'HCAPLUS' ENTERED AT 11:39:39 ON 12 DEC 2000
                E SIMONS M/AU
            220 S E3-E8, E24-E26
L1
                E GOLD Y/AU
             68 S PR39 OR PR 39
L2
              5 S L1 AND L2
L3
                E GAO Y/AU
            633 S E3-E19
L4
                E GAO YOU/AU
             16 S E3,E10
L5
              4 S L2 AND L5
Ь6
              5 S L3, L6
L7
     FILE 'REGISTRY' ENTERED AT 11:41:30 ON 12 DEC 2000
L8
              1 S 139637-11-9
     FILE 'HCAPLUS' ENTERED AT 11:41:38 ON 12 DEC 2000
             26 S L8
L9
              3 S L1, L4 AND L9
L10
L11
              5 S L7, L10
     FILE 'REGISTRY' ENTERED AT 11:42:06 ON 12 DEC 2000
                E RRRPRPPYLPRPRPP/SQEP
              1 S E3
L12
                E RRRPRPPYLPR/SQEP
              1 S E3
L13
                E RRRPRPPY/SQEP
              1 S E3
L14
     FILE 'HCAPLUS' ENTERED AT 11:42:56 ON 12 DEC 2000
L15
              1 S L12-L14
              1 S L1, L4 AND L15
L16
              5 S L11, L16
L17
             63 S L2, L9 NOT L17
L18
             41 S L18 AND ?PEPTIDE?
L19
L20
              0 S L18 AND PROTEASOM?
     FILE 'REGISTRY' ENTERED AT 11:44:35 ON 12 DEC 2000
              1 S 140879-24-9
L21
     FILE 'HCAPLUS' ENTERED AT 11:44:41 ON 12 DEC 2000
L22
           2170 S L21
              0 S L18 AND L22
L23
              4 S L17 AND (L22 OR PROTEASOM?)
L24
              5 S L17, L24
L25
L26
              2 S L18 AND CYTOPLAS?
L27
             60 S L18 AND (PD<=19990326 OR PRD<=19990326 OR PRD.B<=19990326 OR
              1 S L27 AND ANGIOGEN?
L28
              0 S L27 AND HIF
L29
              0 S L27 AND HIF1
L30
              0 S L27 AND HIF1ALPHA
L31
L32
              0 S L27 AND I KAPPA B ALPHA
              0 S L27 AND HIF 1 ALPHA
L33
              0 S L27 AND HIF I ALPHA
L34
L35
             12 S L27 AND (1 OR 63)/SC, SX
     FILE 'REGISTRY' ENTERED AT 11:50:16 ON 12 DEC 2000
     FILE 'HCAPLUS' ENTERED AT 11:50:53 ON 12 DEC 2000
     FILE 'BIOSIS' ENTERED AT 11:51:40 ON 12 DEC 2000
```

E SIMONS M/AU

L36	409	S	E3-E15, E27-E32
		Ε	GAO Y/AU
L37	477	S	E3-E22
		E	GAO YOU/AU
L38	8	s	E6
L39	59	s	L2 OR L8 OR L12-L14
L40	6	s	L36-L38 AND L39
L41	4	S	L40 AND PY<=1999
L42	20	S	L39 AND 00520/CC
L43	27	S	L39 AND (CONFERENCE OR CONGRESS OR POSTER OR SYMPOS? OR MEETI
L44	27	S	L42, L43
L45	6	s	L44 NOT CONFERENCE/DT
L46	4	S	L45 NOT (PREV199800492186 OR PREV199800349846)/DN
L47	2	S	L45 NOT L46
L48	25	S	L44 NOT L47
L49	26	s	L41, L48

FILE 'BIOSIS' ENTERED AT 11:55:41 ON 12 DEC 2000